


WOVEN SCREEN

made with **FLEX-MAT'S OPTIMUMWIRE**


THE INDUSTRY'S LONGEST-LASTING WOVEN SCREEN



WOVEN SCREEN

made with **FLEX-MAT'S OPTIMUMWIRE**

THE INDUSTRY'S LONGEST-LASTING WOVEN SCREEN



SQUARE

- For general applications
- Provides precise passing

> Opening Sizes

0.093" – 6"

(2.36 mm – 152.4 mm)

SLOTTED


- Single or triple slotted
- Removes fines
- Provides more open area than square openings
- Used with round or cubical-shaped material or when precise passing is not required

**Customized
to specific
applications**

WOVEN SCREEN

made with **FLEX-MAT'S OPTIMUMWIRE**

THE INDUSTRY'S LONGEST-LASTING WOVEN SCREEN




DOUBLE-WEAVE™

- Square type for heavier applications (withstands up to 4 times more impact force than heavier single-strand woven screens)
- Provides precise passing
- Ideal for scalping and top-deck applications (provides up to 50 % more throughput than perforated punch plates at a lower cost)

> Opening Sizes

1.25" – 4"

(31.75 mm – 127.0 mm)



HYPERSLOT™

- Produces vibration to reduce blinding
- Creates tumbling effect for better fines removal
- Slows material down to provide more time for material to pass over the openings

**Customized
to specific
applications**

